


No.

7300014



THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

Delta and Pine Land Company

Whereas, THERE HAS BEEN PRESENTED TO THE


Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF *seventeen* YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT (STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

COTTON

'Deltapine 137'



In Testimony Whereof, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington this 20th day of November in the year of our Lord one thousand nine hundred and seventy-four.

Attest:

L. J. Rollin
Commissioner
Plant Variety Protection Office
Grain Division
Agricultural Marketing Service

Frank L. Bantz
Secretary of Agriculture

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

INSTRUCTIONS: See Reverse.

1. VARIETY NAME OR TEMPORARY DESIGNATION DELTAPINE 137	2. KIND NAME COTTON	FOR OFFICIAL USE ONLY PVPO NUMBER 73014	
3. GENUS AND SPECIES NAME GOSSYPIMUM HIRSUTUM	4. FAMILY NAME (Botanical) MALVACEAE	FILING DATE 10/10/72	TIME 1:30 P.M.
	5. DATE OF DETERMINATION OCTOBER 1964	FEE RECEIVED \$ 750	CHARGES -
6. NAME OF APPLICANT(S) DELTA & PINE LAND COMPANY	7. ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Code) SCOTT, MISSISSIPPI 38772	8. TELEPHONE AREA CODE AND NUMBER 601/742-3351	
9. IF THE NAMED APPLICANT IS NOT A PERSON, FORM OF ORGANIZATION: (Corporation, partnership, association, etc.) CORPORATION		10. STATE OF INCORPORATION MISSISSIPPI	11. DATE OF INCORPORATION APRIL 29, 1886
12. Name and mailing address of applicant representative(s), if any, to serve in this application and receive all papers: RESEARCH DEPARTMENT DELTA & PINE LAND COMPANY SCOTT, MISSISSIPPI 38772			

13. CHECK BOX BELOW FOR EACH ATTACHMENT SUBMITTED:

- ☒ 12A. Exhibit A, Origin and Breeding History of the Variety (See Section 52, P.L. 91-577)
- ☒ 12B. Exhibit B, Botanical Description of the Variety
- ☒ 12C. Exhibit C, Objective Description of the Variety
- ☒ 12D. Exhibit D, Data Indicative of Novelty
- ☒ 12E. Exhibit E, Statement of the Basis of Applicant's Ownership

The applicant declares that a viable sample of basic seed of this variety will be deposited upon request before issuance of a certificate and will be replenished periodically in accordance with such regulations as may be applicable. (See Section 52, P.L. 91-577).

14A. Does the applicant(s) specify that seed of this variety be sold by variety name only as a class of certified seed? (See Section 83(a), P.L. 91-577) (If "Yes," answer 14B and 14C below.) ☐ YES ☒ NO

14B. Does the applicant(s) specify that this variety be limited as to number of generations? ☒ YES ☐ NO

14C. If "Yes," to 14B, how many generations of production beyond breeder seed?

THREE

Applicant is informed that false representation herein can jeopardize protection and result in penalties.

The undersigned applicant(s) of this sexually-reproduced novel plant variety believes that the variety is distinct, uniform, and stable as required in Section 41 and is entitled to protection under the provisions of Section 42 of the Plant Variety Protection Act (P.L. 91-577).

9/16/72
(DATE)


10/2/72
(DATE)

Elmer L. Gilbert
(SIGNATURE OF APPLICANT)

Earl C. Ewing
(SIGNATURE OF APPLICANT)

1

INSTRUCTIONS



GENERAL: Send an original copy of the application, exhibits and \$50.00 fee to U.S. Dept. of Agriculture, Consumer and Marketing Service, Grain Division, Hyattsville, Maryland 20782. Retain one copy for your files. All items on the face of the form are self-explanatory unless noted below.

ITEM

- 5 Insert the date the applicant determined that he had a new variety.
- 12a First, give the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method. Second, give the details of subsequent stages of selection and multiplication. Third, indicate the type and frequency of variants during reproduction and multiplication and state how these variants may be identified. Fourth, provide evidence on stability.
- 12b First, give any special characteristics of the seed and of the plant as it passes through the seedling stage, flowering stage and the fruiting stage. Second, describe the mature plant and compare it with a similar commercial variety grown under the same conditions, and indicate the differences.
- 12c A supplemental form will be furnished by the PVPO to describe in detail a variety for each kind of seed.
- 12d Provide complete data indicative of novelty. Seed and plant specimens may be submitted and seeds submitted may be sterile. Where possible, include photographs of plant comparisons, chemical tests, etc.
- 12e Indicate whether applicant is the actual breeder, the employer of the breeder, the owner through purchase or inheritance, etc.

EXHIBIT A OF DELTA & PINE LAND CO. APPLICATION FOR DELTAPINE 137Origin and Breeding History:

Deltapine 137 originated from a progeny selection program in the F₂ population arising from the 1961 cross 5540-611-73-84 X Deltapine Smooth Leaf. 5540-611-73-84 was a Deltapine experimental strain with high wilt tolerance. Progenies were reselected in 1962, 1963, 1964. The final selection was made in October, 1964. This variety hereinafter tested under the designation Deltapine 6137.

This variety has been carefully selected over a number of generations as explained in the first of this section of that the characters described in "Exhibit D" are demonstratively repeated in each generation within the variations caused by environmental differences. In order to assure this stability plants of this variety are reselected at frequent intervals, grown in progeny rows, checked in progeny tests and variety reconstituted by bulking lines which are characteristic of the variety.

#73014

EXHIBIT B OF DELTA & PINE LAND CO. APPLICATION FOR DELTAPINE 137

Botanical Description:

This is a variety of upland cotton Gossypium hirsutum. It has an erect, many branched stem, a vigorous root system, medium to tall in size, medium to light green in color, smooth leaves, flower corrolar and anthers are cream colored, bolls obovate and opening fully, linters are gray and seed are dark brown.

FORM GR-470-8
(10-2-72)UNITED STATES DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
GRAIN DIVISION
HYATTSVILLE, MARYLAND 20782EXHIBIT C
(Cotton)OBJECTIVE DESCRIPTION OF VARIETY
COTTON (GOSSYPIMUM SPP.)

INSTRUCTIONS: See Reverse.

NAME OF APPLICANT(S) DELTA & PINE LAND COMPANY	FOR OFFICIAL USE ONLY
ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Code) SCOTT, MISSISSIPPI 38772	PVPO NUMBER 73014
	VARIETY NAME OR TEMPORARY DESIGNATION Deltapine 137

Place the appropriate number that describes the varietal character of this variety in the boxes below.
Place a zero in first box (e.g., or) when number is either 99 or less or 9 or less.

1. SPECIES:

☒ 1 = GOSSYPIMUM HIRSUTUM 2 = GOSSYPIMUM BARBADENSE

2. AREA(S) OF ADAPTION (0 = Not Tested, 1 = Not Adapted, 2 = Adapted):

☒ 1 EASTERN ☒ 1 DELTA ☒ 1 CENTRAL ☒ 1 HIGH PLAINS ☒ 2 EL PASO AREA
☒ 2 WESTERN LOW HOT VALLEYS ☒ 2 SAN JOAQUIN ☐ OTHER (Specify) _____

3. MATURITY (50% Open Boll):

<input type="text" value=""/> <input type="text" value=""/>	NO. OF DAYS EARLIER THAN	<input type="text" value=""/>	} 1 = COKER 310 2 = DELTAPINE 16 3 = STONEVILLE 213 4 = PAYMASTER 111 5 = ACALA 1517-70 6 = ACALA SJ-1 7 = LANKART 57 8 = OTHER (Specify) _____
<input checked="" type="text" value="1"/> <input checked="" type="text" value="2"/>	NO. OF DAYS LATER THAN	<input checked="" type="text" value="2"/>	

4. PLANT HABIT:

☒ 1 = SPREADING 2 = INTERMEDIATE 3 = COMPACT ☒ 1 = FOLIAGE SPARSE 2 = DENSE
☐ 3 = OTHER (Specify) _____

5. PLANT HEIGHT:

<input type="text" value=""/> <input type="text" value=""/>	CM. SHORTER THAN	<input type="text" value=""/>	} 1 = COKER 310 2 = DELTAPINE 16 3 = STONEVILLE 213 4 = PAYMASTER 111 5 = ACALA 1517-70 6 = ACALA SJ-1 7 = LANKART 57 8 = OTHER (Specify) _____
<input checked="" type="text" value="1"/> <input checked="" type="text" value="5"/>	CM. TALLER THAN	<input checked="" type="text" value="2"/>	

6. MAIN STEM:

☒ 3 1 = LAX 2 = ASCENDING 3 = ERECT ☒ 5 CM. TO FIRST FRUITING BRANCH NO. OF NODES TO FIRST FRUITING BRANCH (from cotyledonary node)

7. LEAF:

 CM. WIDTH OF WIDEST LEAVES AT MATURITY

8. LEAF PUBESCENCE:

 2 = SMOOTH LEAF (DELTAPINE SMOOTH LEAF) 3 = PUBESCENT (STONEVILLE 213)
4 = HEAVY PUBESCENCE (H₁ OR H₂) 5 = OTHER (Specify) _____

9. LEAF COLOR:

 1 = VIRESCENT YELLOW 2 = LIGHT GREEN 3 = DARK GREEN (Acala-442) 4 = RED
5 = OTHER (Specify) _____

10. LEAF TYPE:

 1 = NORMAL 2 = OKRA 3 = SUPER OKRA 4 = OTHER (Specify) _____

11. FLOWER:

 1 = NECTARILESS 2 = NECTARIED

 Petals: 1 = CREAM 2 = YELLOW ☐ Pollen: 1 = CREAM 2 = YELLOW

12. FRUITING BRANCH TYPE:

 1 = CLUSTER 2 = SHORT 3 = NORMAL 1 = DETERMINATE 2 = INDETERMINATE

13. GOSSYPOL CONDITION:

 1 = GLANDLESS 2 = REDUCED GLANDS 3 = NORMAL GLANDS 1 = NORMAL BUD GOSSYPOL
4 = OTHER (Specify) _____ 2 = HIGH BUD GOSSYPOL

14. SEEDS:

 ± SEED INDEX (Fuzzy seed basis) Seed Fuzz: 1 = SPARSE (GREGG 35) 2 = MODERATE (DPL-16)
3 = HEAVY (ACALA SJ-1) 4 = OTHER (Specify) _____

15. BOLLS:

Locules: 1 = 3-4
 2 = 4-5 NO. SEEDS PER BOLL LINT PERCENT MM. DIAMETER
 Pitted: 1 = NONE
 2 = FINELY GRAMS SEED COTTON Breadth: 1 = BROADER AT BASE
 3 = COURSELY PER BOLL 2 = BROADER AT MIDDLE
 Type: 1 = STORMPROOF (WESTBURN 70)
 2 = STORM RESISTANT (LANKART 57) Shape: 1 = LENGTH < WIDTH
 3 = OPEN (DELTAPINE 16) 2 = LENGTH = WIDTH
 3 = LENGTH > WIDTH

16. BRACTEOLAS:

Breadth: 1 = LENGTH < WIDTH 2 = LENGTH = WIDTH 3 = LENGTH > WIDTH
 Teeth: 1 = FINE 2 = COURSE Teeth: 1 = 3-4 2 = 5-7 3 = 8-10
 4 = OTHER (Specify) _____

17. YIELD: Compared to—

PERCENT LESS THAN } 1 = COKER 310 2 = DELTAPINE 16 3 = STONEVILLE 213
 4 = PAYMASTER 111 5 = ACALA 1517-70
 PERCENT MORE THAN 6 = ACALA SJ-1 7 = LANKART 57

18. FIBER LENGTH (Complete one or more of the following and give the means):

SPAN LENGTH 50% SPAN LENGTH 2.5% U.H.M. LENGTH
 MEAN LENGTH STAPLE LENGTH 32nd INCHES
 UNIFORMITY RATIO (MEAN/U.H.M.) UNIFORMITY INDEX (50% SPAN/2.5% SPAN)

19. FIBER STRENGTH AND ELONGATION:

1,000 P.S.I. ELONGATION E₁ STILOMETER T₀
 MICRONAIRE READING YARN STRENGTH (Give test method) STILOMETER T₁

20. DISEASE: (0 = Not Tested, 1 = Susceptible, 2 = Resistant)

<input type="text" value="2"/> VERTICILLIUM WILT	<input type="text" value="2"/> FUSARIUM WILT	<input type="text" value="2"/> ROOT KNOT NEMATODE	<input type="text" value="0"/> BACTERIAL BLIGHT (Race 1)
<input type="text" value="0"/> BACTERIAL BLIGHT (Race 2)	<input type="text" value="0"/> ASCOCHYTA BLIGHT	<input type="text" value="1"/> PHYMATOTRICHUM ROOT ROT	<input type="text" value="0"/> RHIZOCTONIA
<input type="text" value="0"/> ANTHRACNOSE	<input type="text" value="0"/> RUST	<input type="text" value=""/> OTHER (Specify) _____	

21. INSECT: (0 = Not Tested, 1 = Susceptible, 2 = Resistant)

<input type="text" value="1"/> BOLL WEEVIL	<input type="text" value="1"/> APHID	<input type="text" value="1"/> FLEAHOPPER	<input type="text" value="1"/> LEAFWORM
<input type="text" value="1"/> FALL ARMYWORM	<input type="text" value="0"/> GRASSHOPPER	<input type="text" value="1"/> LYGUS	<input type="text" value="1"/> PINK BOLLWORM
<input type="text" value="0"/> STINKBUG	<input type="text" value="1"/> THRIP	<input type="text" value="1"/> CUTWORM	<input type="text" value="1"/> SPIDERMITTE
<input type="text" value=""/> OTHER (Specify) _____			

REFERENCES: The following publications may be used as a reference aid for the standardization of terms and procedures for completing this form:

- (1) Brown, Harry B., and J. O. Ware, 1958, Cotton, McGraw-Hill Book Company, Inc., New York.
- (2) Lewis, C. F., and H. H. Ramey, Jr., 1971, 1970 Regional Cotton Variety Tests, ARS 34-130, United States Department of Agriculture.

COLORS: Nickerson's or any recognized color fan may be used to determine flower color of the described variety.

EXHIBIT D

Revision of Delta & Pine Land Company's Exhibit D for
Deltapine 137 (73104)

June 13, 1974

DATA INDICATIVE OF NOVELTY

Deltapine 137 most closely resembles Deltapine 16 except that Deltapine 137 has an 8-10 percent average higher lint yield which is associated with a greater tolerance to Verticillium wilt and impermeable soils; greater leafiness, plant height, and vigor. Deltapine 137 has a stiffer stalk and is more resistant to lodging. Its seed cotton tends to string out more. Its lint percentage is from 1.0 to 1.5 percent more.

Its staple length (2.5% span length) is .02 less; its length uniformity, micronaire and elongation are essentially the same.

A spinning test compares Deltapine 137 with Deltapine 16. It shows that the slight fiber property differences indicated above have no significant effect on its yarn properties.

Reference is made to Tables 1, 2, 3 of the original application. These tables give five year averages for fiber and agronomic data at three locations: Friendly Corners, Arizona - elevation 1200 feet; heavy soil, moderate Verticillium wilt; Marana, Arizona - elevation 2600 feet, sandy soil, severe Verticillium wilt; Brawley, California - elevation -200 feet, sandy soil, no wilt.

The data given in these tables (1, 2, 3) substantiate the claims for novelty made regarding adaptation to wilt and hard soil. Specification of the soil type at the different locations and the field notes on Plant Height, Leafiness, and Wilt along with yield differences at the various locations establish the claim for adaptation to severe wilt (Marana), wilt and heavy soil (Friendly Corners) and its lack of advantages where neither of these conditions exists (Brawley, California).

Data on all measured characteristics are given in the original tables. The variety is similar to Deltapine 16 in all those measured for which no claim is made in Exhibit D.

Date June 13, 1974

Signed Early C. Ewing, Jr.
Early C. Ewing, Jr., Vice President

73014

EXHIBIT E OF DELTA & PINE LAND COMPANY'S APPLICATION FOR DELTAPINE 137

Applicant's ownership is based on fact that breeders are employees of applicant and have executed assignments of plant variety rights to Delta & Pine Land Company.